

Your partner:

Enquiry Order


Reference no. (Customer)

Customer no.:	<input type="text"/>	Order address:	<input type="text"/>
Customer:	<input type="text"/>		<input type="text"/>
Contact person:	<input type="text"/>	Delivery address:	<input type="text"/>
Telephone:	<input type="text"/>		<input type="text"/>
E-mail:	<input type="text"/>	Requested delivery date:	<input type="text"/>

Edscha TS VP-Profi Roof

Basic roof components

VP-Profi



Piece
Quantity of roofs with identical parameters

Roof without rail frame

Additional partition in accordance with the joint package
(for the maximum, barrier-free loading area)
Including diagonal supports (*strut and strut bearing*)

Standard body width: 2550 mm 2570 mm Discrepant width, Special issue mm Body length: *

End carriage: Standard HD HD lockable

* after dimensional drawing (see next page)

Necessary construction components for rear Components are in reference to standard body width 2550 mm

VP-Profi without rear end

Gantry beam (see page 12)
BG VP


End bow (see page 12)

With customer specific gantry beam (see page 12)

- < 25 kg End running section Standard
- ≥ 25 kg End running section HD (reinforced)

TailWing (see page 14)

- TailWing VP (400-700) TailWing VP (400-900)
- TailWing VP (901-1200)



c = mm

Construction Kit TailWing ≤2600 mm (see page 14)

- TailWing VP (400-900) TailWing VP (901-1200)


Optional construction components Components are in reference to standard body width 2550 mm

- Diagonal supports** (*strut and strut bearing*) (see page 16)
- Top coupling** (see page 16)
- Front frame plate** (see page 16)
- Extra spacing according to joint package** (see page 17)
- Extra spacing according to joint package DB** (see page 17)

Options for both-sided moving (see page 16)

- End carriage front HD
- End carriage Standard
- End carriage HD lockable
- Gantry beam BG VP
- End bow, erecting
- Customer solution (additional locking necessary)
 - < 25 kg
 - ≥ 25 kg
- Cable-locking mechanism for clearance on both sides

Dimensional drawing



SW = Front Frame
 RA = Pillar distance
 HP = Rear gantry

©All rights are held by European Trailer Systems GmbH, including those for patent applications. All powers of disposal, such as copying and dissemination rights, are held by us. Please note the copyright notice according to DIN ISO 16016!